

# **EDI GUIDE**

## **XML - DELVRY03**



**Who should read this document?**

This document is for EDI-administrators who will implement this EDI-guide to be able to receive XML-IDOC delivery notes from Bosch Rexroth AG.

**Explanation of usage:**

First of all, the usage of each segment has to be considered, so if a segment is mandatory (M), it has to appear in the data file.

It might happen, that a segment itself is optional (O), but the elements within the segment are declared as mandatory. This means, it is not required that the segment is included, but as soon as the segment is in data file, the mandatory fields must be filled.

The same procedure has to be applied to segment groups and segments: A segment group can be optional, while the contained segments are mandatory. In this case all mandatory segments of a segment group has to appear in the data file, if you decide to use this segment group.

The declaration as mandatory of certain segment groups, segments or fields may differ from the description of the standard SAP DELVRY03. We have changed the declaration of some elements from optional to mandatory as they are important for our processes.

Organizational data such as AG, LF may differ from the examples provided, based on the relevant scenario of a customer relationship (Outgoing DESADV).

If you have questions to this guide, send an e-mail to: [SupportSales.EDI@de.bosch.com](mailto:SupportSales.EDI@de.bosch.com)

tag	min	max	O/M	content/example	description
<?xml version="1.0" encoding="UTF-8" ?> <DELVRY03>	0	1			
<IDOC BEGIN=1>	1	-1			
<EDI_DC40 SEGMENT = 1>	1	1	M		<b>Control record: addressing the message</b>
<MANDT></MANDT>	0	1			client
<DOCNUM></DOCNUM>	0	1			idoc number
<DOCREL></DOCREL>	0	1			release
<STATUS></STATUS>	0	1			status of idoc
<DIRECT></DIRECT>	1	1	O	2	direction
<OUTMOD></OUTMOD>	0	1			output mode
<EXPRSS></EXPRSS>	0	1			overriding in inbound processing
<TEST></TEST>	0	1			test flag
<IDOCTYP></IDOCTYP>	1	1	M	DELVRY03	name of basic type
<CIMTYP></CIMTYP>	0	1			extension
<MESTYP></MESTYP>	1	1	M	DESADV	message type
<MESCOD></MESCOD>	0	1			message code
<MESFCT></MESFCT>	0	1			message function
<STD></STD>	0	1			EDI standard, flag
<STDVRS></STDVRS>	0	1			EDI standard, version
<STDMES></STDMES>	0	1			message type
<SNDPOR></SNDPOR>	1	1			sender port
<SNDPRT></SNDPRT>	1	1	M	LI	partner type of sender
<SNDPFC></SNDPFC>	0	1	M	LF	partner function of sender
<SNDRPN></SNDRPN>	1	1	M		vendor number in customer system
<SNDSAD></SNDSAD>	0	1			logical address of sender
<SNLAD></SNLAD>	0	1			receiver port
<RCVPOR></RCVPOR>	1	1	M	KU	partner type of recipient
<RCVPRT></RCVPRT>	1	1	M	AG	partner number of recipient
<RCVPFC></RCVPFC>	0	1	M		customer number in vendor system
<RCVPRN></RCVPRN>	1	1			logical address of recipient
<RCVSAD></RCVSAD>	0	1	M		created on
<RCVLAD></RCVLAD>	0	1			time created
<CREDAT></CREDAT>	0	1			transmission file
<CRETIM></CRETIM>	0	1			message group
<REFINT></REFINT>	0	1			message
<REFGRP></REFGRP>	0	1			key for external archive
<REFMES></REFMES>	0	1			serialization
<ARCKEY></ARCKEY>	0	1			
<SERIAL></SERIAL>	0	1			
</EDI_DC40>					
<E1EDL20 Segment=1>	1	9999	M		<b>Delivery header</b>
<VBELN></VBELN>	1	1	M	delivery note number	Sales and distribution document number
<VSTEL></VSTEL>	0	1			Shipping point/receiving point
<VKORG></VKORG>	0	1			Sales organization
<LSTEL></LSTEL>	0	1			Loading point
<VKBUR></VKBUR>	0	1			Sales office
<LGNUM></LGNUM>	0	1			Warehouse Number / Warehouse Complex
<ABLAD></ABLAD>	0	1			Unloading point
<INCO1></INCO1>	0	1			Incoterms (part 1)
<INCO2></INCO2>	0	1			Incoterms (part 2)
<ROUTE></ROUTE>	0	1			Route
<VSBED></VSBED>	0	1	O	qualifier for shipping conditions	Shipping conditions
<BTGEW></BTGEW>	0	1	O	gross weight	Total weight
<NTGEW></NTGEW>	0	1	O	net weight	Net weight
<GEWEI></GEWEI>	0	1	O	KGM = kilograms ...(all other ISO-Codes)	Weight Unit
<VOLUM></VOLUM>	0	1			Volume
<VOLEH></VOLEH>	0	1			Volume unit
<ANZPK></ANZPK>	0	1			Total number of packages in delivery
<BOLNR></BOLNR>	0	1			Bill of lading
<TRATY></TRATY>	0	1			Transport Type
<TRAIID></TRAIID>	0	1			Transport Reference ID
<XABLN></XABLN>	0	1			Goods receipt/issue slip number
<LIFEX></LIFEX>	0	1			External identification of delivery note
<PARID></PARID>	0	1			External partner number
<PODAT></PODAT>	0	1			Date (proof of delivery)
<POTIM></POTIM>	0	1			Confirmation time

<b>&lt;E1EDL22 Segment=1&gt;</b>	0	1	O
<VSTEL_BEZ></VSTEL_BEZ>	0	1	
<VKORG_BEZ></VKORG_BEZ>	0	1	
<LSTEL_BEZ></LSTEL_BEZ>	0	1	
<VKBUR_BEZ></VKBUR_BEZ>	0	1	
<LGNUM_BEZ></LGNUM_BEZ>	0	1	
<INCO1_BEZ></INCO1_BEZ>	0	1	
<ROUTE_BEZ></ROUTE_BEZ>	0	1	
<VSBED_BEZ></VSBED_BEZ>	0	1	
<TRATY_BEZ></TRATY_BEZ>	0	1	
<b>&lt;/E1EDL22&gt;</b>	0	1	
<b>&lt;E1EDL21 Segment=1&gt;</b>	0	1	O
<LFART></LFART>	0	1	
<BZIRK></BZIRK>	0	1	
<AUTLF></AUTLF>	0	1	
<EXPKZ></EXPKZ>	0	1	
<LIFSK></LIFSK>	0	1	
<LPRIOR></LPRIOR>	0	1	
<KDGRP></KDGRP>	0	1	
<BEROT></BEROT>	0	1	
<TRAGR></TRAGR>	0	1	
<TRSPG></TRSPG>	0	1	
<AULWE></AULWE>	0	1	
<b>&lt;E1EDL23 Segment=1&gt;</b>	0	1	O
<LFART_BEZ></LFART_BEZ>	0	1	
<LPRIOR_BEZ></LPRIOR_BEZ>	0	1	
<BZIRK_BEZ></BZIRK_BEZ>	0	1	
<LIFSK_BEZ></LIFSK_BEZ>	0	1	
<KDGRP_BEZ></KDGRP_BEZ>	0	1	
<TRAGR_BEZ></TRAGR_BEZ>	0	1	
<TRSPG_BEZ></TRSPG_BEZ>	0	1	
<AULWE_BEZ></AULWE_BEZ>	0	1	
<b>&lt;/E1EDL23&gt;</b>			
<b>&lt;/E1EDL21&gt;</b>			
<b>&lt;E1EDL51 Segment=1&gt;</b>	0	-1	O
<QUALF></QUALF>	0	1	
<PRODN></PRODN>	0	1	
<b>&lt;/E1EDL51&gt;</b>			
<b>&lt;E1EDD01 Segment=1&gt;</b>	0	1	O
<NCDG></NCDG>	0	1	
<INR1></INR1>	0	1	
<b>&lt;/E1EDD01&gt;</b>			
<b>&lt;E1EDL18 Segment=1&gt;</b>	0	99	O
<QUALF></QUALF>	0	1	
<PARAM></PARAM>	0	1	
<b>&lt;/E1EDL18&gt;</b>			
<b>&lt;E1EDL55 Segment=1&gt;</b>	0	99	O
<QUALF></QUALF>	0	1	
<REFNR></REFNR>	0	1	
<b>&lt;/E1EDL55&gt;</b>			

**Delivery Header Descriptions**  
 Description of shipping point  
 Description of sales organization  
 Loading point description  
 Description of sales office  
 Warehouse number description  
 Incoterm description  
 Route description  
 Description of the shipping conditions  
 Description of shipping material type

**Delivery Header Additional Data**  
 Delivery type  
 Sales district  
 Complete delivery defined  
 Export indicator  
 Delivery block (document header)  
 Delivery priority  
 Customer group  
 Picked items location  
 Transportation group  
 Shipment Blocking Reason  
 Route schedule

**Deliv.Header Addit.Data Descriptions**  
 Delivery type description  
 Description of delivery priorities  
 Name of the district  
 Description of reason for delivery block  
 Description of customer group  
 Description of transportation group  
 Description of reason for shipment block  
 Description of route schedule

**Delivery Header External Release Number**  
 Qualifier for external release number  
 External release number

**DG header data (delivery)**  
 Indicator: Document contains dangerous goods  
 Indicator: Marginal 10011

**Controlling (Delivery)**  
 Qualifier: Control (Delivery)  
 Control Parameters

**Reference Number**  
 Qualifier Reference Number  
 35-Character IDOC Reference Number

<b>&lt;E1ADRM1 Segment=1&gt;</b>	1	99	O		<b>Central Address Segment Group</b>
<PARTNER_Q></PARTNER_Q>	1	1	M	AG = Customer WE = goods recipient	Qualifier for partner function
<ADDRESS_T></ADDRESS_T>	0	1			Addr. type
<PARTNER_ID></PARTNER_ID>	1	1	M	partner number	Partner no. (SAP)
<JURISDIC></JURISDIC>	0	1			Tax Jurisdiction Code
<LANGUAGE></LANGUAGE>	0	1			Language key
<FORMOFADDR></FORMOFADDR>	0	1			Form of address
<NAME1></NAME1>	1	1	M	name of partner	Name or address line
<NAME2></NAME2>	1	1	O		Name or address line
<NAME3></NAME3>	1	1	O		Name or address line
<NAME4></NAME4>	1	1	O		Name or address line
<NAME_TEXT></NAME_TEXT>	0	1			Name or address line (formatted)
<NAME_CO></NAME_CO>	0	1			Subsequent line for name or address (c/o)
<LOCATION></LOCATION>	0	1			Location description of location
<BUILDING></BUILDING>	0	1			Location description: Building
<FLOOR></FLOOR>	0	1			Location description: Floor
<ROOM></ROOM>	0	1			Location description: Room
<STREET1></STREET1>	1	1	M	street	House number and street
<STREET2></STREET2>	0	1	O	street	House number and street
<STREET3></STREET3>	0	1	OI	street	House number and street
<HOUSE_SUPL></HOUSE_SUPL>	0	1			House number
<HOUSE_RANG></HOUSE_RANG>	0	1			House no. (interval)
<POSTL_COD1></POSTL_COD1>	1	1	M	postal code	Postal code
<POSTL_COD3></POSTL_COD3>	0	1			Postal code
<POSTL_AREA></POSTL_AREA>	0	1			Post delivery district
<CITY1></CITY1>	1	1	M	city	Town or city
<CITY2></CITY2>	0	1			Town or city
<POSTL_PBOX></POSTL_PBOX>	0	1			P.O. Box
<POSTL_COD2></POSTL_COD2>	0	1			Postal code
<POSTL_CITY></POSTL_CITY>	0	1			Town or city
<TELEPHONE1></TELEPHONE1>	0	1			Telephone number
<TELEPHONE2></TELEPHONE2>	0	1			Telephone number
<TELEFAX></TELEFAX>	0	1			Fax number
<TELEX></TELEX>	0	1			Telex number
<E_MAIL></E_MAIL>	0	1			E-mail address
<COUNTRY1></COUNTRY1>	1	1	M	DE = Germany FR = France .... (all other ISO-Codes)	Country indicator (ISO alphanumeric)
<COUNTRY2></COUNTRY2>	0	1			Country indicator (ISO numeric)
<REGION></REGION>	0	1			Region, state
<COUNTY_COD></COUNTY_COD>	0	1			County Code (e.g. in USA)
<COUNTY_TXT></COUNTY_TXT>	0	1			County name (e.g. in USA)
<TZCODE></TZCODE>	0	1			Location for time zone (SAP code)
<TZDESC></TZDESC>	0	1			Location for time zone (external code)
<b>&lt;E1ADRE1 Segment=1&gt;</b>	1	10	M	(create once after RM1 with qualifier AG)	<b>Central Address Segment Group</b>
<EXTEND_Q></EXTEND_Q>	0	1		300 = supplier	Qualifier for additional data, e.g. ILN or D&B no.
<EXTEND_D></EXTEND_D>	0	1		supplier number	Additional data, e.g. ILN or D&B no.
<b>&lt;/E1ADRE1&gt;</b>					
<b>&lt;/E1ADRM1&gt;</b>					
<b>&lt;E1EDT13 Segment=1&gt;</b>	1	99	M		<b>Deadline (delivery)</b>
<QUALF></QUALF>	1	1	M	007 = delivery date 015 = document date	Qualifier: Date (Delivery)
<VSTZW></VSTZW>	0	1			Deadline function
<VSTZW_BEZ></VSTZW_BEZ>	0	1			Description
<NTANF></NTANF>	1	1	M	format YYYYMMDD	Constraint for activity start (Basic)
<NTANZ></NTANZ>	0	1			Constraint for activity start time (Basic)
<NTEND></NTEND>	0	1			Constraint for finish of activity (Basic)
<NTENZ></NTENZ>	0	1			Basic finish time of the activity
<TZONE_BEG></TZONE_BEG>	0	1			Time zone
<ISDD></ISDD>	0	1			Actual start: Execution (date)
<ISDZ></ISDZ>	0	1			Actual start: Execution/setup (time)
<IEDD></IEDD>	0	1			Actual finish: Execution (date)
<IEDZ></IEDZ>	0	1			Actual finish: Execution (time)
<TZONE_END></TZONE_END>	0	1			Time zone
<VORNR></VORNR>	0	1			Operation Number
<VSTGA></VSTGA>	0	1			Deadline deviation reason
<VSTGA_BEZ></VSTGA_BEZ>	0	1			Description
<EVENT></EVENT>	0	1			Event type
<EVENT_ALI></EVENT_ALI>	0	1			Alias for the transaction

<E1EDL40 Segment=1>	0	1	O	<b>Points (delivery deadlines)</b>
<KNOTE></KNOTE>	0	1		Transportation Connection Points
<KNOTE_BEZ></KNOTE_BEZ>	0	1		Node name
<E1ADRM2 Segment=1>	0	1	O	<b>Central Address Segment Group,</b>
<PARTNER_Q></PARTNER_Q>	0	1		Qualifier for partner function
<ADDRESS_T></ADDRESS_T>	0	1		Addr. type
<PARTNER_ID></PARTNER_ID>	0	1		Partner no. (SAP)
<JURISDIC></JURISDIC>	0	1		Tax Jurisdiction Code
<LANGUAGE></LANGUAGE>	0	1		Language key
<FORMOFADDR></FORMOFADDR>	0	1		Form of address
<NAME1></NAME1>	0	1		Name or address line
<NAME2></NAME2>	0	1		Name or address line
<NAME3></NAME3>	0	1		Name or address line
<NAME4></NAME4>	0	1		Name or address line
<NAME_TEXT></NAME_TEXT>	0	1		Name or address line (formatted)
<NAME_CO></NAME_CO>	0	1		Subsequent line for name or address (c/o)
<LOCATION></LOCATION>	0	1		Location description of location
<BUILDING></BUILDING>	0	1		Location description: Building
<FLOOR></FLOOR>	0	1		Location description: Floor
<ROOM></ROOM>	0	1		Location description: Room
<STREET1></STREET1>	0	1		House number and street
<STREET2></STREET2>	0	1		House number and street
<STREET3></STREET3>	0	1		House number and street
<HOUSE_SUPL></HOUSE_SUPL>	0	1		House number
<HOUSE_RANG></HOUSE_RANG>	0	1		House no. (interval)
<POSTL_COD1></POSTL_COD1>	0	1		Postal code
<POSTL_COD3></POSTL_COD3>	0	1		Postal code
<POSTL_AREA></POSTL_AREA>	0	1		Post delivery district
<CITY1></CITY1>	0	1		Town or city
<CITY2></CITY2>	0	1		Town or city
<POSTL_PBOX></POSTL_PBOX>	0	1		P.O. Box
<POSTL_COD2></POSTL_COD2>	0	1		Postal code
<POSTL_CITY></POSTL_CITY>	0	1		Town or city
<TELEPHONE1></TELEPHONE1>	0	1		Telephone number
<TELEPHONE2></TELEPHONE2>	0	1		Telephone number
<TELFAX></TELFAX>	0	1		Fax number
<TELEX></TELEX>	0	1		Telex number
<E_MAIL></E_MAIL>	0	1		E-mail address
<COUNTRY1></COUNTRY1>	0	1		Country indicator (ISO alphanumeric)
<COUNTRY2></COUNTRY2>	0	1		Country indicator (ISO numeric)
<REGION></REGION>	0	1		Region, state
<COUNTY_COD></COUNTY_COD>	0	1		County Code (e.g. in USA)
<COUNTY_TXT></COUNTY_TXT>	0	1		County name (e.g. in USA)
<TZCODE></TZCODE>	0	1		Location for time zone (SAP code)
<TZDESC></TZDESC>	0	1		Location for time zone (external code)
</E1ADRM2>				
</E1EDL40>				
<E1TXTH0 Segment=1>	0	99	O	<b>General Text Header</b>
<FUNCTION></FUNCTION>	0	1		Function (for transferred text)
<TDOBJECT></TDOBJECT>	0	1		Texts: application object
<TDOBNAME></TDOBNAME>	0	1		Name
<TDID></TDID>	0	1		Text ID
<TDSRAS></TDSRAS>	0	1		Language
<TDTEXTTYPE></TDTEXTTYPE>	0	1		SAPscript: Format of a text
<LANGUA_ISO></LANGUA_ISO>	0	1		Language key
<E1TXTP0 Segment=1>	0	-1	O	<b>General Text Segment</b>
<TDFORMAT></TDFORMAT>	0	1		Tag column
<TDLINE></TDLINE>	0	1		Text line
</E1TXTP0>				
</E1TXTH0>				
</E1EDT13>				
<E1TXTH8 Segment=1>	0	99	O	<b>General Text Header</b>
<FUNCTION></FUNCTION>	0	1		Function (for transferred text)
<TDOBJECT></TDOBJECT>	0	1		Texts: application object
<TDOBNAME></TDOBNAME>	0	1		Name
<TDID></TDID>	0	1		Text ID
<TDSRAS></TDSRAS>	0	1		Language
<TDTEXTTYPE></TDTEXTTYPE>	0	1		SAPscript: Format of a text
<LANGUA_ISO></LANGUA_ISO>	0	1		Language key
<E1TXTP8 Segment=1>	0	-1	O	<b>General Text Segment</b>
<TDFORMAT></TDFORMAT>	0	1		Tag column
<TDLINE></TDLINE>	0	1		Text line
</E1TXTP8>				
</E1TXTH8>				

<b>&lt;E1EDDH2 Segment=1&gt;</b>	0	99	O	<b>DG text header (delivery header)</b>
<FUNCTION></FUNCTION>	0	1		Function (for transferred text)
<TDOBJECT></TDOBJECT>	0	1		Texts: application object
<TDOBNAM></TDOBNAM>	0	1		Name
<TDID></TDID>	0	1		Text ID
<TDTEXTTYPE></TDTEXTTYPE>	0	1		SAPscript: Format of a text
<LANGUA_ISO></LANGUA_ISO>	0	1		Language key
<PHRSEL></PHRSEL>	0	1		Phrase set
<IDENTIFIER></IDENTIFIER>	0	1		Identification (DGTM2 field name)
<LANGUA_PHR></LANGUA_PHR>	0	1		Phrase language
<b>&lt;E1EDDP2 Segment=1&gt;</b>	0	-1	O	<b>DG text lines (delivery header)</b>
<TDFORMAT></TDFORMAT>	0	1		Tag column
<TDLINE></TDLINE>	0	1		Text line
<b>&lt;/E1EDDP2&gt;</b>				
<b>&lt;/E1EDDH2&gt;</b>				
<b>&lt;E1EDL33 Segment=1&gt;</b>	0	1	O	<b>Export Data Delivery Header</b>
<ALAND></ALAND>	0	1		Destination country
<EXPVZ></EXPVZ>	0	1		Mode of Transport for Foreign Trade
<ZOLLA></ZOLLA>	0	1		Office of exit for foreign trade
<ZOLLB></ZOLLB>	0	1		Office of destination for foreign trade
<ZOLL1></ZOLL1>	0	1		Customs office 1 for foreign trade
<ZOLL2></ZOLL2>	0	1		Customs office 2 for foreign trade
<ZOLL3></ZOLL3>	0	1		Customs office 3 for foreign trade
<ZOLL4></ZOLL4>	0	1		Customs office 4 for foreign trade
<ZOLL5></ZOLL5>	0	1		Customs office 5 for foreign trade
<ZOLL6></ZOLL6>	0	1		Customs office 6 for foreign trade
<KZGBE></KZGBE>	0	1		Means of transport crossing the border
<KZABE></KZABE>	0	1		Means of transport at departure
<STGBE></STGBE>	0	1		Origin of Means of Transport
<STABE></STABE>	0	1		Country of Origin of the Means of Transport
<CONTA></CONTA>	0	1		ID: Goods cross border in a container
<GRWCU></GRWCU>	0	1		Currency of statistical values for foreign trade
<IEVER></IEVER>	0	1		Domestic Mode of Transport for Foreign Trade
<b>&lt;E1EDL34 Segment=1&gt;</b>	0	1	O	<b>Export Data Delivery Header Descriptions</b>
<EXPVZ_BEZ></EXPVZ_BEZ>	0	1		Description of mode of transport
<ZOLLA_BEZ></ZOLLA_BEZ>	0	1		Customs office description
<ZOLLB_BEZ></ZOLLB_BEZ>	0	1		Description of office of destination
<ZOLL1_BEZ></ZOLL1_BEZ>	0	1		Customs office 1 description
<ZOLL2_BEZ></ZOLL2_BEZ>	0	1		Customs office 2 description
<ZOLL3_BEZ></ZOLL3_BEZ>	0	1		Customs office 3 description
<ZOLL4_BEZ></ZOLL4_BEZ>	0	1		Customs office 4 description
<ZOLL5_BEZ></ZOLL5_BEZ>	0	1		Customs office 5 description
<ZOLL6_BEZ></ZOLL6_BEZ>	0	1		Customs office 6 description
<IEVER_BEZ></IEVER_BEZ>	0	1		Description of inland mode of transport
<STGBE_BEZ></STGBE_BEZ>	0	1		Description of country of affiliation
<STABE_BEZ></STABE_BEZ>	0	1		Entry of affil. of means of transport
<b>&lt;/E1EDL34&gt;</b>				
<b>&lt;/E1EDL33&gt;</b>				
<b>&lt;E1EDL28 Segment=1&gt;</b>	0	1	O	<b>Routes</b>
<ROUTE></ROUTE>	0	1		Route
<VSART></VSART>	0	1		Shipping type
<VSAVL></VSAVL>	0	1		Shipping type of preliminary leg
<VSANL></VSANL>	0	1		Shipping type of subsequent leg
<ROUID></ROUID>	0	1		Route identification
<DISTZ></DISTZ>	0	1		Distance
<MEDST></MEDST>	0	1		Unit of measure for distance
<b>&lt;E1EDL29 Segment=1&gt;</b>	0	1	O	<b>Routes Descriptions</b>
<ROUTE_BEZ></ROUTE_BEZ>	0	1		Route description
<VSART_BEZ></VSART_BEZ>	0	1		Description of the shipping type
<VSAVL_BEZ></VSAVL_BEZ>	0	1		Description of shipping type of preliminary leg
<VSANL_BEZ></VSANL_BEZ>	0	1		Description of shipping type of subsequent leg
<b>&lt;/E1EDL29&gt;</b>				
<b>&lt;E1EDL30 Segment=1&gt;</b>	0	99	O	<b>Route Stages</b>
<ABNUM></ABNUM>	0	1		Stage Number
<ANFRF></ANFRF>	0	1		Itinerary for regular route
<VSART></VSART>	0	1		Shipping type
<DISTZ></DISTZ>	0	1		Distance
<MEDST></MEDST>	0	1		Unit of measure for distance
<TSTYP></TSTYP>	0	1		Stage category
<b>&lt;E1EDL31 Segment=1&gt;</b>	0	1	O	<b>Route Stage Descriptions</b>
<VSART_BEZ></VSART_BEZ>	0	1		Description of the shipping type
<b>&lt;/E1EDL31&gt;</b>				

<b>&lt;E1EDL32 Segment=1&gt;</b>	0	9	O
<QUALI></QUALI>	0	1	
<KNOTE></KNOTE>	0	1	
<ADRNR></ADRNR>	0	1	
<VSTEL></VSTEL>	0	1	
<LSTEL></LSTEL>	0	1	
<WERKS></WERKS>	0	1	
<LGORT></LGORT>	0	1	
<KUNNR></KUNNR>	0	1	
<LIFNR></LIFNR>	0	1	
<ABLAD></ABLAD>	0	1	
<LGNUM></LGNUM>	0	1	
<LGTOR></LGTOR>	0	1	

<b>&lt;E1EDL45 Segment=1&gt;</b>	0	1	O
<KNOTE_BEZ></KNOTE_BEZ>	0	1	
<VSTEL_BEZ></VSTEL_BEZ>	0	1	
<LSTEL_BEZ></LSTEL_BEZ>	0	1	
<WERKS_BEZ></WERKS_BEZ>	0	1	
<LGORT_BEZ></LGORT_BEZ>	0	1	
<LGNUM_BEZ></LGNUM_BEZ>	0	1	
<LGTOR_BEZ></LGTOR_BEZ>	0	1	
<b>&lt;/E1EDL45&gt;</b>			

<b>&lt;E1ADRM3 Segment=1&gt;</b>	0	1	O
<PARTNER_Q></PARTNER_Q>	0	1	
<ADDRES_T></ADDRES_T>	0	1	
<PARTNER_ID></PARTNER_ID>	0	1	
<JURISDIC></JURISDIC>	0	1	
<LANGUAGE></LANGUAGE>	0	1	
<FORMOFADDR></FORMOFADDR>	0	1	
<NAME1></NAME1>	0	1	
<NAME2></NAME2>	0	1	
<NAME3></NAME3>	0	1	
<NAME4></NAME4>	0	1	
<NAME_TEXT></NAME_TEXT>	0	1	
<NAME_CO></NAME_CO>	0	1	
<LOCATION></LOCATION>	0	1	
<BUILDING></BUILDING>	0	1	
<FLOOR></FLOOR>	0	1	
<ROOM></ROOM>	0	1	
<STREET1></STREET1>	0	1	
<STREET2></STREET2>	0	1	
<STREET3></STREET3>	0	1	
<HOUSE_SUPL></HOUSE_SUPL>	0	1	
<HOUSE_RANG></HOUSE_RANG>	0	1	
<POSTL_COD1></POSTL_COD1>	0	1	
<POSTL_COD3></POSTL_COD3>	0	1	
<POSTL_AREA></POSTL_AREA>	0	1	
<CITY1></CITY1>	0	1	
<CITY2></CITY2>	0	1	
<POSTL_PBOX></POSTL_PBOX>	0	1	
<POSTL_COD2></POSTL_COD2>	0	1	
<POSTL_CITY></POSTL_CITY>	0	1	
<TELEPHONE1></TELEPHONE1>	0	1	
<TELEPHONE2></TELEPHONE2>	0	1	
<TELEFAX></TELEFAX>	0	1	
<TELEX></TELEX>	0	1	
<E_MAIL></E_MAIL>	0	1	
<COUNTRY1></COUNTRY1>	0	1	
<COUNTRY2></COUNTRY2>	0	1	
<REGION></REGION>	0	1	
<COUNTY_COD></COUNTY_COD>	0	1	
<COUNTY_TXT></COUNTY_TXT>	0	1	
<TZCODE></TZCODE>	0	1	
<TZDESC></TZDESC>	0	1	

**</E1ADRM3>**

**</E1EDL32>**

**</E1EDL30>**

**</E1EDL28>**

**Route Stage Point**  
 Qualifier for stage point  
 Transportation Connection Points  
 Address  
 Shipping point/receiving point  
 Loading point  
 EDI plant number for shipping unit  
 Storage location  
 Customer number  
 Vendor number of destination point  
 Unloading point  
 Warehouse Number / Warehouse Complex  
 Door for warehouse number

**Points descriptions**  
 Node name  
 Description of shipping point  
 Loading point description  
 Plant Descript.  
 Description of storage location  
 Warehouse number description  
 Door description

**Central Address Segment Group**  
 Qualifier for partner function  
 Addr. type  
 Partner no. (SAP)  
 Tax Jurisdiction Code  
 Language key  
 Form of address  
 Name or address line  
 Name or address line  
 Name or address line  
 Name or address line  
 Name or address line (formatted)  
 Subsequent line for name or address (c/o)  
 Location description of location  
 Location description: Building  
 Location description: Floor  
 Location description: Room  
 House number and street  
 House number and street  
 House number and street  
 House number  
 House no. (interval)  
 Postal code  
 Postal code  
 Post delivery district  
 Town or city  
 Town or city  
 P.O. Box  
 Postal code  
 Town or city  
 Telephone number  
 Telephone number  
 Fax number  
 Telex number  
 E-mail address  
 Country indicator (ISO alphanumeric)  
 Country indicator (ISO numeric)  
 Region, state  
 County Code (e.g. in USA)  
 County name (e.g. in USA)  
 Location for time zone (SAP code)  
 Location for time zone (external code)



<b>&lt;E1EDL47 Segment=1&gt;</b>		0	1	O	<b>Company's Tracking Connection Data</b>
<XSITD></XSITD>		0	1		Express Delivery Company
<SHIPACCT></SHIPACCT>		0	1		Sender's Account at ExpressDeliveryCompany
<TRACKN></TRACKN>		0	1		Tracking number
<ROUTECD></ROUTECD>		0	1		Routing information for XSI carrier
<XSISRVC></XSISRVC>		0	1		Express Delivery Company's Service Code
<PRDCD></PRDCD>		0	1		Express Delivery Company Product Code
<XSIURL_MULTI_TRACK></XSIURL_MULTI_TRACK>		0	1		URL for Carrier
<b>&lt;E1EDL48 Segment=1&gt;</b>		0	-1	O	<b>Express Delivery Company - Additional Data</b>
<XSIQUALF></XSIQUALF>		0	1		Qualifier for Communication
<XSITD></XSITD>		0	1		Express Delivery Company
<VLABDATA></VLABDATA>		0	1		Express Delivery Company's Data Field
<b>&lt;/E1EDL48&gt;</b>					
<b>&lt;/E1EDL47&gt;</b>					
<b>&lt;E1EDL24 Segment=1&gt;</b>		0	-1	M	<b>Delivery Item</b>
<POSNR></POSNR>		1	1	M	Item number of the SD document
<MATNR></MATNR>		1	1	M	Material number
<MATWA></MATWA>		0	1		Material entered
<ARKTX></ARKTX>		0	1	O	material description
<ORKTX></ORKTX>		0	1		Short text for sales order item
<SUGRD></SUGRD>		0	1		Description of material entered
<SUDRU></SUDRU>		0	1		Reason for material substitution
<MATKL></MATKL>		0	1		Original entry will be printed
<WERKS></WERKS>		0	1		Material group
<LGORT></LGORT>		0	1		Plant
<CHARG></CHARG>		0	1		Storage location
<KDMAT></KDMAT>		1	1	M	Batch number
<LFIMG></LFIMG>		1	1	M	Material belonging to the customer
<VRKME></VRKME>		1	1	M	Material number of customer
					delivered quantity
					Actual quantity delivered (in sales units)
					PCE = pieces
					Sales unit
					MTR = meter
					...(all other ISO-codes)
<LGMNG></LGMNG>		0	1		Actual quantity delivered in stockkeeping units
<MEINS></MEINS>		1	1	O	Base unit of measure
<NTGEW></NTGEW>		0	1	O	Net weight
<BRGEW></BRGEW>		0	1	O	Gross weight
<GEWEI></GEWEI>		0	1	O	Weight Unit
<VOLUM></VOLUM>		0	1		Volume
<VOLEH></VOLEH>		0	1		Volume unit
<LGPBE></LGPBE>		0	1		Storage bin
<HIPOS></HIPOS>		0	1	O	Superior item in an item hierarchy
<HIEVW></HIEVW>		0	1		Use of Hierarchy Item
<LADGR></LADGR>		0	1		Loading group
<TRAGR></TRAGR>		0	1		Transportation group
<VKBUR></VKBUR>		0	1		Sales office
<VKGRP></VKGRP>		0	1		Sales group
<VTWEG></VTWEG>		0	1		Distribution channel
<SPART></SPART>		0	1		Division
<GRKOR></GRKOR>		0	1		Delivery group (items are delivered together)
<EAN11></EAN11>		0	1		International Article Number (EAN/UPC)
<SERNR></SERNR>		0	1		BOM explosion number
<AESKD></AESKD>		0	1		Customer Engineering Change Status
<EMPST></EMPST>		0	1		Receiving point
<MFRGR></MFRGR>		0	1		Material freight group
<VBRST></VBRST>		0	1		Customer point of consumption
<LABNK></LABNK>		0	1		Customer number for forecast / JIT dlv. sched.
<ABRDT></ABRDT>		0	1		Delivery Schedule Date
<MFRPN></MFRPN>		0	1		Manufacturer part number
<MFRNR></MFRNR>		0	1		Manufacturer number
<ABRVW></ABRVW>		0	1		Usage indicator
<KDMAT35></KDMAT35>		0	1		Material belonging to the customer
<KANNR></KANNR>		0	1		KANBAN/sequence number
<POSEX></POSEX>		0	1		External item number
<LIEFFZ></LIEFFZ>		0	1		Cumulative qty for delivery/MAIS
<USR01></USR01>		0	1		Additional data field 1 for delivery schedules
<USR02></USR02>		0	1		Additional data field 2 for delivery schedules
<USR03></USR03>		0	1		Additional data field 3 for delivery schedules
<USR04></USR04>		0	1		Additional data field 4 for delivery schedules
<USR05></USR05>		0	1		Additional data field 5 for delivery schedules
<MATNR_EXTERNAL></MATNR_EXTERNAL>		0	1		Long material number
<MATNR_VERSION></MATNR_VERSION>		0	1		Version number
<MATNR_GUID></MATNR_GUID>		0	1		External GUID
<MATWA_EXTERNAL></MATWA_EXTERNAL>		0	1		Long material number
<MATWA_VERSION></MATWA_VERSION>		0	1		Version number
<MATWA_GUID></MATWA_GUID>		0	1		External GUID
<ZUDAT></ZUDAT>		0	1		Additional Data

<b>&lt;E1EDL25 Segment=1&gt;</b>	0	1	O	<b>Delivery Item Descriptions</b>
<LGORT_BEZ></LGORT_BEZ>	0	1		Description of storage location
<LADGR_BEZ></LADGR_BEZ>	0	1		Loading group description
<TRAGR_BEZ></TRAGR_BEZ>	0	1		Description of transportation group
<VKBUR_BEZ></VKBUR_BEZ>	0	1		Description of sales office
<VKGRP_BEZ></VKGRP_BEZ>	0	1		Description of sales group
<VTWEG_BEZ></VTWEG_BEZ>	0	1		Description of distribution channel
<SPART_BEZ></SPART_BEZ>	0	1		Description of division
<MFRGR_BEZ></MFRGR_BEZ>	0	1		Description of material freight group
<b>&lt;/E1EDL25&gt;</b>				
<b>&lt;E1EDL26 Segment=1&gt;</b>	0	1	O	<b>Delivery Item Additional Data</b>
<PSTYV></PSTYV>	0	1		Sales document item category
<MATKL></MATKL>	0	1		Material group
<PRODH></PRODH>	0	1		Product hierarchy
<UMVKZ></UMVKZ>	0	1		Numerator (factor) for conversion
<UMVKN></UMVKN>	0	1		Denominator (divisor) for conversion
<KZTLF></KZTLF>	0	1		Partial delivery at item level
<UEBTK></UEBTK>	0	1		Indicator: Unlimited overdelivery allowed
<UEBTO></UEBTO>	0	1		Overdelivery tolerance limit
<UNTT0></UNTT0>	0	1		Underdelivery tolerance limit
<CHSPL></CHSPL>	0	1		Batch split allowed
<XCHBW></XCHBW>	0	1		Indicator for Batches / Evaluation Types
<POSAR></POSAR>	0	1		Item type
<SOBKZ></SOBKZ>	0	1		Special stock indicator
<PCKPF></PCKPF>	0	1		Packing control
<MAGRV></MAGRV>	0	1		Material Group: Packaging Materials
<SHKZG></SHKZG>	0	1		Debit/credit indicator
<KOQUI></KOQUI>	0	1		Picking is subject to confirmation
<AKTNR></AKTNR>	0	1		Promotion
<KZUMW></KZUMW>	0	1		Indicator: Environmentally relevant
<KVGR1></KVGR1>	0	1		Customer group 1
<KVGR2></KVGR2>	0	1		Customer group 2
<KVGR3></KVGR3>	0	1		Customer group 3
<KVGR4></KVGR4>	0	1		Customer group 4
<KVGR5></KVGR5>	0	1		Customer group 5
<MVGR1></MVGR1>	0	1		Material group 1
<MVGR2></MVGR2>	0	1		Material group 2
<MVGR3></MVGR3>	0	1		Material group 3
<MVGR4></MVGR4>	0	1		Material group 4
<MVGR5></MVGR5>	0	1		Material group 5
<b>&lt;E1EDL27 Segment=1&gt;</b>	0	1	O	<b>Delivery Item Additional Data Descriptions</b>
<PSTYV_BEZ></PSTYV_BEZ>	0	1		Description of item category
<MATKL_BEZ></MATKL_BEZ>	0	1		Description of material group
<PRODH_BEZ></PRODH_BEZ>	0	1		Description of product hierarchy
<WERKS_BEZ></WERKS_BEZ>	0	1		Plant Descript.
<KVGR1_BEZ></KVGR1_BEZ>	0	1		Description cust. group 1
<KVGR2_BEZ></KVGR2_BEZ>	0	1		Description cust. group 2
<KVGR3_BEZ></KVGR3_BEZ>	0	1		Description cust. group 3
<KVGR4_BEZ></KVGR4_BEZ>	0	1		Description cust. group 4
<KVGR5_BEZ></KVGR5_BEZ>	0	1		Description cust. group 5
<MVGR1_BEZ></MVGR1_BEZ>	0	1		Description material group 1
<MVGR2_BEZ></MVGR2_BEZ>	0	1		Description material group 2
<MVGR3_BEZ></MVGR3_BEZ>	0	1		Description material group 3
<MVGR4_BEZ></MVGR4_BEZ>	0	1		Description material group 4
<MVGR5_BEZ></MVGR5_BEZ>	0	1		Description material group 5
<b>&lt;/E1EDL27&gt;</b>				
<b>&lt;/E1EDL26&gt;</b>				
<b>&lt;E1EDL52 Segment=1&gt;</b>	0	-1	O	<b>Delivery Item External Release Number</b>
<QUALF></QUALF>	0	1		Qualifier for external release number
<PRODN></PRODN>	0	1		External release number
<ITMNR></ITMNR>	0	1		External Item Number
<SQUNT></SQUNT>	0	1		Single Quantity of Material in Ext. Document
<b>&lt;/E1EDL52&gt;</b>				
<b>&lt;E1EDL53 Segment=1&gt;</b>	0	-1		<b>Delivery Item POD</b>
<GRUND></GRUND>	0	1		Reason for variance in POD
<PODMG></PODMG>	0	1		Actual quantity accepted in sales unit
<LFIMG_DIFF></LFIMG_DIFF>	0	1		Deviation in quantity actually delivered
<VRKME></VRKME>	0	1		Sales unit
<LGMNG_DIFF></LGMNG_DIFF>	0	1		Difference in actual delivery quantity
<MEINS></MEINS>	0	1		Base unit of measure
<b>&lt;/E1EDL53&gt;</b>				

**<E1EDD10 Segment=1>**

<MOT></MOT>	0	-1
<VALDAT></VALDAT>	0	1
<DGCAO></DGCAO>	0	1
<DGNHM></DGNHM>	0	1
<TKUI></TKUI>	0	1
<DGNU></DGNU>	0	1
<COLNO></COLNO>	0	1
<DGRES1></DGRES1>	0	1
<DGRES2></DGRES2>	0	1
<DGRES3></DGRES3>	0	1
<DGREMP></DGREMP>	0	1
<DGRERQ></DGRERQ>	0	1
<DGCL></DGCL>	0	1
<DGSC></DGSC>	0	1
<SDBC></SDBC>	0	1
<SLBE></SLBE>	0	1
<LDBC></LDBC>	0	1
<LWDG></LWDG>	0	1
<EINU></EINU>	0	1
<EICN></EICN>	0	1
<EMSN1></EMSN1>	0	1
<EMSN2></EMSN2>	0	1
<MFAG1></MFAG1>	0	1
<MFAG2></MFAG2>	0	1
<HQTU></HQTU>	0	1
<HQTUN></HQTUN>	0	1
<PIN></PIN>	0	1
<PINLQ></PINLQ>	0	1
<PGRO></PGRO>	0	1
<HNU></HNU>	0	1
<HPN1></HPN1>	0	1
<HPN2></HPN2>	0	1
<HPN3></HPN3>	0	1
<HPN4></HPN4>	0	1
<HPN5></HPN5>	0	1
<HPN6></HPN6>	0	1
<HPN7></HPN7>	0	1
<LAB1></LAB1>	0	1
<LAB2></LAB2>	0	1
<LAB3></LAB3>	0	1
<LAB4></LAB4>	0	1
<LAB5></LAB5>	0	1
<LAB6></LAB6>	0	1
<LAB7></LAB7>	0	1
<LAB8></LAB8>	0	1
<LAB9></LAB9>	0	1
<LAB10></LAB10>	0	1
<PBI></PBI>	0	1
<DGPTA></DGPTA>	0	1
<NHME></NHME>	0	1
<DGSHE></DGSHE>	0	1
<PIMDG></PIMDG>	0	1
<SPPRO></SPPRO>	0	1
<MAPOL></MAPOL>	0	1
<EXCEP></EXCEP>	0	1
<AGRNO></AGRNO>	0	1
<REGNO></REGNO>	0	1
<SDGCL></SDGCL>	0	1
<TDGCL></TDGCL>	0	1
<LWDGN></LWDGN>	0	1
<RVLID></RVLID>	0	1
<MOS1></MOS1>	0	1
<MOS2></MOS2>	0	1
<MOS3></MOS3>	0	1
<MOS4></MOS4>	0	1
<MOS5></MOS5>	0	1
<MOS6></MOS6>	0	1
<MOS7></MOS7>	0	1
<MOS8></MOS8>	0	1
<MOS9></MOS9>	0	1
<MOSA></MOSA>	0	1
<DGTNA></DGTNA>	0	1
<DGWOS></DGWOS>	0	1
<SCASE></SCASE>	0	1
<EIMDG></EIMDG>	0	1

**DG item data 1 (delivery)**

Dangerous goods - mode of transport category
Selection date dangerous goods master data
Indicator: Only cargo air transport permitted
Indicator: Not a dangerous good
UN number category
Identification number
Indicator UN collective number
Primary hazard-inducing substance
Secondary hazard-inducing substance
Tertiary hazard-inducing substance
Hazard-inducing substance (marine pollutant)
Hazard-inducing substance (reportable quantity)
Dangerous goods class
Dangerous goods subclass
Hazard item number
Hazard item number (empty transport)
Dangerous goods letter
Dangerous goods regulation
TREMc card number 1
TREMc card number 2
EmS number 1
EmS number 2
MFAG number 1
MFAG number 2
Maximum quantity per transport unit
Maximum quantity unit
Packing instruction number
Packing instruction number for limited quantities
Packing group
Hazard identification number
Danger label number 1
Danger label number 2
Danger label number 3
Danger label number 4
Danger label number 5
Danger label number 6
Danger label number 7
Label number 1
Label number 2
Label number 3
Label number 4
Label number 5
Label number 6
Label number 7
Label number 8
Label number 9
Label number 10
Poisonous by inhalation
Shipping by mail permitted
Not a dangerous good - empty transport
Schedule of class 7
IMDG code page
Special provision
Marine pollutant
Exception number
Agreement number
Approval no.
Dangerous goods class
Dangerous goods class
Name of dangerous goods regulation
Validity area
Dangerous goods transport category
Dangerous goods transport category
Dangerous goods transport category
Dangerous goods transport category
Dangerous goods transport category
Dangerous goods transport category
Dangerous goods transport category
Dangerous goods transport category
Dangerous goods transport category
Dangerous goods transport category
Transport not permitted
Processing status for dangerous goods
Special case (packing check)
Amendment IMDG code

<b>&lt;E1EDD11 Segment=1&gt;</b>		0	1
<VKTRT></VKTRT>		0	1
<DGNA></DGNA>		0	1
<DGRES2></DGRES2>		0	1
<DGRESD></DGRESD>		0	1
<DGRES3></DGRES3>		0	1
<DGREDMP></DGREDMP>		0	1
<DGREDRQ></DGREDRQ>		0	1
<b>&lt;/E1EDD11&gt;</b>			
<b>&lt;E1EDD15 Segment=1&gt;</b>		0	1
<HPN1D></HPN1D>		0	1
<HPN2D></HPN2D>		0	1
<HPN3D></HPN3D>		0	1
<HPN4D></HPN4D>		0	1
<HPN5D></HPN5D>		0	1
<HPN6D></HPN6D>		0	1
<HPN7D></HPN7D>		0	1
<b>&lt;/E1EDD15&gt;</b>			
<b>&lt;E1EDD12 Segment=1&gt;</b>		0	-1
<STOSU></STOSU>		0	1
<COTMP></COTMP>		0	1
<TPCUN></TPCUN>		0	1
<EMTMP></EMTMP>		0	1
<TPEUN></TPEUN>		0	1
<FLTMP></FLTMP>		0	1
<TPFUN></TPFUN>		0	1
<TPSNL></TPSNL>		0	1
<TPSLU></TPSLU>		0	1
<TPSNH></TPSNH>		0	1
<TPSHU></TPSHU>		0	1
<COWE></COWE>		0	1
<VBFC></VBFC>		0	1
<SDCL></SDCL>		0	1
<SOOWA></SOOWA>		0	1
<USOOW></USOOW>		0	1
<DENFEE></DENFEE>		0	1
<UDENFE></UDENFE>		0	1
<DENTWE></DENTWE>		0	1
<UDENTWE></UDENTWE>		0	1
<DENFIF></DENFIF>		0	1
<UDENFI></UDENFI>		0	1
<BUDEN></BUDEN>		0	1
<UBUDE></UBUDE>		0	1
<BOPOI></BOPOI>		0	1
<UBOPO></UBOPO>		0	1
<VISCO></VISCO>		0	1
<UVISC></UVISC>		0	1
<STPRES></STPRES>		0	1
<USTPRE></USTPRE>		0	1
<HYGRO></HYGRO>		0	1
<MEPOI></MEPOI>		0	1
<UMEPO></UMEPO>		0	1
<COOEX></COOEX>		0	1
<UCOOE></UCOOE>		0	1
<MTMPF></MTMPF>		0	1
<UMTMP></UMTMP>		0	1
<PAI></PAI>		0	1
<PAIU></PAIU>		0	1
<PAO></PAO>		0	1
<PAOU></PAOU>		0	1
<RQA></RQA>		0	1
<RQU></RQU>		0	1
<MINQ></MINQ>		0	1
<MINU></MINU>		0	1
<MAXQ></MAXQ>		0	1
<MAXU></MAXU>		0	1
<RELQ></RELQ>		0	1
<RELU></RELU>		0	1
<MULRQ></MULRQ>		0	1
<RCHEM></RCHEM>		0	1
<STOPA></STOPA>		0	1
<PASI></PASI>		0	1
<UPASI></UPASI>		0	1
<PAGW></PAGW>		0	1
<UPAGW></UPAGW>		0	1
<b>&lt;E1EDD16 Segment=1&gt;</b>		0	1
<AGGRT></AGGRT>		0	1
<COWED></COWED>		0	1
<b>&lt;/E1EDD16&gt;</b>			
<b>&lt;/E1EDD12&gt;</b>			

**DG item data descriptions 1 (delivery)**

Short description of mode of transport category  
 Proper shipping name  
 Description for hazard-inducing substance  
 Description for hazard-inducing substance  
 Description for hazard-inducing substance  
 Description for hazard-inducing substance

**DG item data descriptions 2 (delivery)**

Description for danger label  
 Description for danger label  
 Description for danger label  
 Description for danger label  
 Description for danger label  
 Description for danger label

**DG item data 2 (delivery)**

Aggregate state for transport  
 Control temperature  
 Temperature unit (control)  
 Emergency temperature  
 Temperature unit (emergency)  
 Flash point  
 Temperature unit (flame)  
 Temperature sensitivity (lower limit)  
 Unit for temperature sensitivity (lower limit)  
 Temperature sensitivity (upper limit)  
 Temperature unit (sensitivity - upper limit)  
 Water pollution class  
 VbF class  
 Storage hazard class  
 Solubility of water  
 Unit for solubility of water  
 Density I  
 Unit for density I  
 Density II  
 Unit for density II  
 Density III  
 Unit for density III  
 Bulk density  
 Unit for bulk density  
 Boiling point  
 Unit for boiling point  
 Viscosity  
 Unit for viscosity  
 Vapor pressure  
 Unit for vapor pressure  
 Hygroscopicity  
 Melting point  
 Unit for melting point  
 Coefficient of expansion  
 Unit for coefficient of expansion  
 Medium temperature of liquid during filling  
 Unit for medium filling temperature  
 Quantity a-marginals inner packaging  
 Unit of measurement (a-marginal)  
 Quantity a-marginal outer package  
 Unit of measurement (a-marginal)  
 Reportable quantity  
 Unit of measure for reportable quantities  
 Minimum quantity (§7 regulation)  
 Unit of measure for minimum quantity  
 Maximum quantity (§7 regulation)  
 Unit of measure for maximum quantity  
 Excepted quantity (marginal 10011)  
 Unit of measure for excepted quantity  
 Multiplication factor quantity limit  
 Notification status  
 Packaging mark  
 A-ma. single packaging (quantity/volume)  
 Unit of measurement (a-marginal)  
 A-ma. gross weight (quantity)  
 Unit of measurement (a-marginal)

**DG item data descriptions 3 (delivery)**

Name for state of aggregation  
 Short description of water pollution class

<E1EDD13 Segment=1>	0	99	<b>Hazard notes on item level (delivery)</b>
<EDIQ></EDIQ>	0	1	EDI: Qualifier for selecting hazard notes
<DAIN></DAIN>	0	1	Hazard note
<DAID></DAID>	0	1	Hazard note text
</E1EDD13>			
<E1EDDH3 Segment=1>	0	99	<b>DG text header (delivery item)</b>
<FUNCTION></FUNCTION>	0	1	Function (for transferred text)
<TDOBJECT></TDOBJECT>	0	1	Texts: application object
<TDOBNAME></TDOBNAME>	0	1	Name
<TDID></TDID>	0	1	Text ID
<TDTEXTTYPE></TDTEXTTYPE>	0	1	SAPscript: Format of a text
<LANGUA_ISO></LANGUA_ISO>	0	1	Language key
<PHRSEL></PHRSEL>	0	1	Phrase set
<IDENTIFIER></IDENTIFIER>	0	1	Identification (DGT2 field name)
<LANGUA_PHR></LANGUA_PHR>	0	1	Phrase language
<E1EDDP3 Segment=1>	0	1	DG text lines (delivery item)
<TDFORMAT></TDFORMAT>	0	-1	Tag column
<TDLINE></TDLINE>	0	1	Text line
</E1EDDP3>			
</E1EDDH3>			
</E1EDD10>			
<E1EDD14 Segment=1>	0	1	<b>DG control data (delivery item)</b>
<DGARAND></DGARAND>	0	1	Indicator: a-marginal
<DGPULIM></DGPULIM>	0	1	Indicator: Packed under 450 l
<DGPAS></DGPAS>	0	1	Indicator § 7
<DGREPQU></DGREPQU>	0	1	Indicator: Reportable quantity
</E1EDD14>			
<E1EDL19 Segment=1>	0	99	<b>Controlling (Delivery Item)</b>
<QUALF></QUALF>	0	1	Qualifier: Control (Delivery Item)
<PARAM></PARAM>	0	1	Control Parameters
</E1EDL19>			
<E1EDL11 Segment=1>	0	-1	<b>Serial Number</b>
<SERNR></SERNR>	0	1	Serial number
</E1EDL11>			
<E1EDL15 Segment=1>	0	-1	<b>Batch Characteristic</b>
<ATINN></ATINN>	0	1	Internal characteristic
<ATNAM></ATNAM>	0	1	Characteristic name
<ATBEZ></ATBEZ>	0	1	Characteristic description
<ATWRT></ATWRT>	0	1	Characteristic value
<ATWTB></ATWTB>	0	1	Characteristic value description
<EWAHR></EWAHR>	0	1	Tolerance from
</E1EDL15>			
<E1EDL35 Segment=1>	0	1	<b>Export Data Delivery Item</b>
<STAWN></STAWN>	0	1	Commodity code / Import code
<EXPRF></EXPRF>	0	1	Export/Import procedure for foreign trade
<EXART></EXART>	0	1	Business Transaction Type for Foreign Trade
<HERKL></HERKL>	0	1	Country of origin of the material
<HERKR></HERKR>	0	1	Region of origin of material
<GRWRT></GRWRT>	0	1	Statistical value for foreign trade
<PREFE></PREFE>	0	1	Preference indicator in export/import
<E1EDL36 Segment=1>	0	1	<b>Export Data Delivery Item Descriptions</b>
<STXT1></STXT1>	0	1	Description of commodity code - First line
<STXT2></STXT2>	0	1	Description of commodity code - Second line
<STXT3></STXT3>	0	1	Description of commodity code - Third line
<STXT4></STXT4>	0	1	Description of commodity code - Fourth line
<STXT5></STXT5>	0	1	Description of commodity code - Fifth line
<STXT6></STXT6>	0	1	Description of commodity code - Sixth line
<STXT7></STXT7>	0	1	Description of commodity code - Seventh line
<EXPRF_BEZ></EXPRF_BEZ>	0	1	Export/import procedure description
<EXART_BEZ></EXART_BEZ>	0	1	Description of business transaction type
<HERKL_BEZ></HERKL_BEZ>	0	1	Description of country of origin
<HERKR_BEZ></HERKR_BEZ>	0	1	Description of region of origin
</E1EDL36>			
</E1EDL35>			
<E1EDL43 Segment=1>	0	99	<b>Reference</b>
<QUALF></QUALF>	0	1	SD document category
<BELNR></BELNR>	0	1	document number
<POSNR></POSNR>	0	1	Item number
<DATUM></DATUM>	0	1	Date
</E1EDL43>			

<b>&lt;E1EDL41 Segment=1&gt;</b>	1	2	<b>M</b>	<b>Reference data ordering party</b>
<QUALI></QUALI>	1	1	<b>M</b> 001 = customers order number	Qualifier for Reference Data of Ordering Party
<BSTNR></BSTNR>	1	1	<b>M</b> order number	Customer purchase order number
<BSTDT></BSTDT>	0	1		Customer purchase order date
<BSARK></BSARK>	0	1		Customer purchase order type
<IHREZ></IHREZ>	0	1		Customer's or vendor's internal reference
<POSEX></POSEX>	1	1	<b>M</b> line item number	Item number of customer purchase order
<b>&lt;E1EDL42 Segment=1&gt;</b>	0	1	<b>O</b>	<b>Reference data ordering party texts</b>
<BSARK_BEZ></BSARK_BEZ>	0	1		Description of purchase order type
<b>&lt;/E1EDL42&gt;</b>				
<b>&lt;/E1EDL41&gt;</b>				
<b>&lt;E1TXTH9 Segment=1&gt;</b>	0	99		<b>General Text Header</b>
<FUNCTION></FUNCTION>	0	1		Function (for transferred text)
<TDOBJECT></TDOBJECT>	0	1		Texts: application object
<TDOBNAME></TDOBNAME>	0	1		Name
<TDID></TDID>	0	1	0001 = sales text 0002 = note 0003 = packing notes 0004 = delivery notes	Text ID
<TDSRAS></TDSRAS>	0	1		Language
<TDTEXTTYPE></TDTEXTTYPE>	0	1		SAPscript: Format of a text
<LANGUA_ISO></LANGUA_ISO>	0	1	DE = German EN = English ... (other ISO-Codes)	Language key
<b>&lt;E1TXTP9 Segment=1&gt;</b>	0	-1	<b>M</b>	<b>General Text Segment</b>
<TDFORMAT></TDFORMAT>	0	1		Tag column
<TDLINE></TDLINE>	0	1	text	Text line
<b>&lt;/E1TXTP9&gt;</b>				
<b>&lt;/E1TXTH9&gt;</b>				
<b>&lt;E1EDL12 Segment=1&gt;</b>	0	-1		<b>Configuration</b>
<ATINN></ATINN>	0	1		Internal characteristic
<ATNAM></ATNAM>	0	1		Characteristic name
<ATBEZ></ATBEZ>	0	1		Characteristic description
<ATWRT></ATWRT>	0	1		Characteristic value
<ATWTB></ATWTB>	0	1		Characteristic value description
<EWAHR></EWAHR>	0	1		Tolerance from
<b>&lt;/E1EDL12&gt;</b>				
<b>&lt;/E1EDL24&gt;</b>				

<b>&lt;E1EDL37 Segment=1&gt;</b>	0	-1	O		<b>Shipping unit header</b>
<EXIDV></EXIDV>	0	1	M	external id of handling unit	External Handling Unit Identification
<TARAG></TARAG>	0	1			Tare weight of handling unit
<GWEIT></GWEIT>	0	1	O		Weight Unit Tare
<BRGEW></BRGEW>	0	1	O		Total Weight of Handling Unit
<NTGEW></NTGEW>	0	1			Loading Weight of Handling Unit
<MAGEW></MAGEW>	0	1			Allowed Loading Weight of a Handling Unit
<GWEIM></GWEIM>	0	1			Weight Unit
<BTVOL></BTVOL>	0	1			Total volume of handling unit
<NTVOL></NTVOL>	0	1			Loading Volume of Handling Unit
<MAVOL></MAVOL>	0	1			Allowed Loading Volume for Handling Unit
<VOLEM></VOLEM>	0	1			Volume unit
<TAVOL></TAVOL>	0	1			Tare volume of handling unit
<VOLET></VOLET>	0	1			Volume Unit Tare
<VEGR2></VEGR2>	0	1			Handling Unit Group 2 (Freely Definable)
<VEGR1></VEGR1>	0	1			Handling Unit Group 1 (Freely Definable)
<VEGR3></VEGR3>	0	1			Handling Unit Group 3 (Freely Definable)
<VHILM></VHILM>	0	1	M	vendors packing material number	Packaging Materials
<VEGR4></VEGR4>	0	1			Handling Unit Group 4 (Freely Definable)
<LAENG></LAENG>	0	1			Length
<VEGR5></VEGR5>	0	1			Handling Unit Group 5 (Freely Definable)
<BREIT></BREIT>	0	1			Width
<HOEHE></HOEHE>	0	1			Height
<MEABM></MEABM>	0	1			Unit of dimension for length/width/height
<INHALT></INHALT>	0	1			Description of Handling Unit Content
<VHART></VHART>	0	1			Packaging Material Type
<MAGRV></MAGRV>	0	1			Material Group: Packaging Materials
<LADLG></LADLG>	0	1			Lgth of loading platform
<LADEH></LADEH>	0	1			Unit of measure to measure the length
<FARZT></FARZT>	0	1			Travel Time
<FAREH></FAREH>	0	1			Unit of travel time
<ENTFE></ENTFE>	0	1			Distance Travelled
<EHENT></EHENT>	0	1			Unit of distance
<VELTP></VELTP>	0	1			Packaging Material Category
<EXIDV2></EXIDV2>	0	1			Handling Unit's 2nd External Identification
<LANDT></LANDT>	0	1			Country providing means of transport
<LANDF></LANDF>	0	1			Driver's Nationality
<NAMEF></NAMEF>	0	1			Driver name
<NAMBE></NAMBE>	0	1			Alternate driver's name
<VHILM_KU></VHILM_KU>	0	1	M	customers packing material	Material belonging to the customer
<VEBEZ></VEBEZ>	0	1			Description of Packaging Material
<SMGKN></SMGKN>	0	1			SMG identification for material tag
<KDMAT35></KDMAT35>	0	1			Partner'sPackaging Material
<SORTL></SORTL>	0	1			Sort field
<ERNAM></ERNAM>	0	1			Name of Person who Created the Object
<GEWFX></GEWFX>	0	1			Weight and Volume Fixed
<ERLKZ></ERLKZ>	0	1			Status (at this time without functionality)
<EXIDA></EXIDA>	0	1			Type of external handling unit identifier
<MOVE_STATUS></MOVE_STATUS>	0	1			Handling unit status
<PACKVORSCHR></PACKVORSCHR>	0	1			Text string 22 characters
<PACKVORSCHR_ST></PACKVORSCHR_ST>	0	1			Single-character flag
<LABELTYP></LABELTYP>	0	1			Indicator: do not print external shipping label
<ZUL_AUFL></ZUL_AUFL>	0	1			Field length 17
<VHILM_EXTERNAL></VHILM_EXTERNAL>	0	1			Long material number
<VHILM_VERSION></VHILM_VERSION>	0	1			Version number
<VHILM_GUID></VHILM_GUID>	0	1			External GUID
<b>&lt;E1EDL39 Segment=1&gt;</b>	0	9	O		<b>Control segment for shipping units</b>
<QUALF></QUALF>	0	1			Control for Handling Unit
<PARAM></PARAM>	0	1			Control Parameters
<b>&lt;/E1EDL39&gt;</b>					
<b>&lt;E1EDL38 Segment=1&gt;</b>	0	1	O		<b>Shipping unit header descriptions</b>
<VEGR1_BEZ></VEGR1_BEZ>	0	1			Description of shipping unit 1
<VEGR2_BEZ></VEGR2_BEZ>	0	1			Description of shipping unit 2
<VEGR3_BEZ></VEGR3_BEZ>	0	1			Description of shipping unit 3
<VEGR4_BEZ></VEGR4_BEZ>	0	1			Description of shipping unit 4
<VEGR5_BEZ></VEGR5_BEZ>	0	1			Description of shipping unit 5
<VHART_BEZ></VHART_BEZ>	0	1			Description of shipping material type
<MAGRV_BEZ></MAGRV_BEZ>	0	1			Description of material
<VEBEZ></VEBEZ>	0	1			Description of Packaging Material
<b>&lt;/E1EDL38&gt;</b>					
<b>&lt;E1EDL49 Segment=1&gt;</b>	0	1	O		<b>Express Delivery Tracking Connection Data</b>
<XSITD></XSITD>	0	1			Express Delivery Company
<SHIPACCT></SHIPACCT>	0	1			Sender's Account Number
<TRACKN></TRACKN>	0	1			Tracking number
<XSIURL_SINGLE_TRACK></XSIURL_SINGLE_TRACK>	0	1			URL for Carrier

<E1EDL50 Segment=1>	0	-1	O
<XSQUALF></XSQUALF>	0	1	
<XSITD></XSITD>	0	1	
<VLABDATA></VLABDATA>	0	1	
</E1EDL50>			
</E1EDL49>			
<E1EDL44 Segment=1>	0	-1	M
<VELIN></VELIN>	1	1	M 1 = material item
<VBELN></VBELN>	1	1	M despatch note number (reference to E1EDL20.VBELN)
<POSNR></POSNR>	1	1	M line item of despatch note (reference to L24.POSNR)
<EXIDV></EXIDV>	0	1	
<VEMNG></VEMNG>	1	1	M packed quantity
<VEMEH></VEMEH>	1	1	M PCE = pieces KGM = kilogram ...(other ISO-codes)
<MATNR></MATNR>	0	1	
<KDMAT></KDMAT>	0	1	
<CHARG></CHARG>	0	1	
<WERKS></WERKS>	0	1	
<LGORT></LGORT>	0	1	
<CUOBJ></CUOBJ>	0	1	
<BESTQ></BESTQ>	0	1	
<SOBKZ></SOBKZ>	0	1	
<SONUM></SONUM>	0	1	
<ANZSN></ANZSN>	0	1	
<WDATU></WDATU>	0	1	
<PARID></PARID>	0	1	
<MATNR_EXTERNAL></MATNR_EXTERNAL>	0	1	
<MATNR_VERSION></MATNR_VERSION>	0	1	
<MATNR_GUID></MATNR_GUID>	0	1	
<E1EDL46 Segment=1>	0	-1	
<SERNR></SERNR>	0	1	
</E1EDL46>			
</E1EDL44>			
</E1EDL37>			
<E1EDL54 Segment=1>	0	-1	
<SOURCEHU></SOURCEHU>	0	1	
<DESTHU></DESTHU>	0	1	
<PACKHU></PACKHU>	0	1	
<PACK_QTY></PACK_QTY>	0	1	
<BASE_UOM></BASE_UOM>	0	1	
<MATERIAL></MATERIAL>	0	1	
<BATCH></BATCH>	0	1	
<PLANT></PLANT>	0	1	
<STGE_LOC></STGE_LOC>	0	1	
<STOCK_CAT></STOCK_CAT>	0	1	
<SPEC_STOCK></SPEC_STOCK>	0	1	
<SP_STCK_NO></SP_STCK_NO>	0	1	
<DELIV_NUMB></DELIV_NUMB>	0	1	
<DELIV_ITEM></DELIV_ITEM>	0	1	
<MATERIAL_EXTERNAL></MATERIAL_EXTERNAL>	0	1	
<MATERIAL_VERSION></MATERIAL_VERSION>	0	1	
<MATERIAL_GUID></MATERIAL_GUID>	0	1	
</E1EDL54>			
</E1EDL20>			
</IDOC>			
</DELVR03>			

**Express Delivery Company - Additional Data**  
 Qualifier for Communication  
 Express Delivery Company  
 Express Delivery Company's Data Field

**Shipping unit item (delivery)**  
 Type of Handling-unit Item Content  
 Sales and distribution document number  
 Item number of the SD document  
 External Handling Unit Identification  
 Base Quantity Packed in the Handling Unit Item  
 Base Unit of Measure  
 Material number  
 Material belonging to the customer  
 Batch number  
 Plant  
 Storage location  
 Configuration (internal object number)  
 Stock category in the ERP  
 Special stock indicator  
 Special stock number  
 Number of serial numbers  
 Date of goods receipt  
 External partner number  
 Long material number  
 Version number  
 External GUID

**Serial Numbers HU**  
 Serial number

**Repack Shipping Units**  
 External Handling Unit Identification  
 External Handling Unit Identification  
 Pack handling unit  
 Base Quantity Packed in the Handling Unit  
 Base unit of measure  
 Material number  
 Batch number  
 Plant  
 Storage location  
 Stock category in the ERP  
 Special stock indicator  
 Special stock number  
 Delivery  
 Delivery item  
 Long material number  
 Version number  
 External GUID