Rexroth Store Manual Guest User

Table of Contents

Section 1: Login	2
Section 2: Search	13
Section 3: Wishlist	22
Section 4: Product Information	27
Section 5: Configure Products	34
Section 6: Add to Cart to Quote	42

Section 1: Login

Login to Via the w	the Rexroth Store rebsite				
CH: http	O os://www.boschrexroth.com/en/de/ os://www.boschrexroth.com/en/ch/ s://www.boschrexroth.com/en/at/	<page-header><page-header><page-header><section-header><complex-block><complex-block><complex-block><complex-block><complex-block><complex-block></complex-block></complex-block></complex-block></complex-block></complex-block></complex-block></section-header></page-header></page-header></page-header>			
2 DCEN/SLF1-SE [04/12/20 © Bosch Rexroth AB 2021	N rights reserved, also regarding any disposal, exploitation, reproduction, edding, distribution, as well as in the event of apple	zations for industrial property rights.	A Bosch Company		
To get to the new platform, it is easiest to go via our websites Germany: <u>https://www.boschrexroth.com/en/de/</u> (to be added soon) Switzerland: <u>https://www.boschrexroth.com/en/ch/</u>					
Austria:	https://www.boschrexroth.com/en/at/	(to be added soon)			

L	ogin to the	e Rexroth bsite	Store			×		
		About Bosch Rexroth Contact Locator Trade Shows and Events	Blogs Press Jobs and Careers	F in RELATED LINKS eConfigurators and Tools Rexroth Store Web seminars	Media Directory eNewsietters Rexroth Technology Tours	LOCATION LOCATION USA	~	
		© Besch Rexroth Corpor	ration 2014-2022, all rights re:		tection Notice Legal Notice ental Certificates Purchasing a		. 🜻	
3	DCEN/SLF1-SE 04/12/2021 Bosch Rexroth AB 2021. All right	ts reserved, also regarding any disposal	, exploitation, reproduction, editing,	, distribution, as well as in the event	t of applications for industrial prope	rty rights.		A Bosch Company

At the bottom of the home page, there is a link that you can access by clicking on Rexroth Store.

Login to th Go to MyR	e Rexroth S exroth	Store					
€ → C					0, 0, 2 \star	* 🖬 😩 🗄	
A organise	er 📮 LiveChat Live Chat. 🍯 Overview dr	ehboard 🛛 Robin CRM - SAP CL. 🚺 Ho	ne - SOK_at_OC 🔄 #Commerce@OC	tacidog 🔁 ()A01	USA 🕿 USA PROD 🍣	CA Store +	
= 1	exroth Brach Company		Contact ing	A P Aleccello Carl	Q. Padar land	014	
	= Hydraulics = Gearboxet	Featured	Products	My Cars	art is errots.		
	 Automation Linear Motion Technology Assembly Technology 	din .					
	→ Tightening tacheology	PROPORTIONAL DIRECTIONAL VALVE INVRPENDEAL JX/M/24A1 H00200310 Size 6, synchrol Cd, Halagrated electronics, 24 V ftC	DIRECTIONAL SPOOL VALVE 4WE6J6X/E024N944 Re00561286 Size 6, symbol 4, solenoid actuated, 24 v DC				
		1117 Parks \$5,979.00	5429.00				
2 DCNA/SLX 18/08/2022 © Bosch Rexroth Corporation 2022. A	Il rights reserved, also regarding any disposal, ex	ploitation, reproduction, editing, dist ition, as well a	s in the event of applications for industrial prop	perty rights .			A Bosch Compa


You have now entered the start page. It may be appropriate to add this page as a favorite for convenience purposes.

To log in to the Rexroth Store, go to the myRexroth link at the top of the page.

Login t Regist	to the Rexroth Store er				
$\leftarrow \rightarrow$	C 👌 🔒 store boschrexroth.com/ccrz_CCSiteLogin?cdd=en_US			Q & @ # #	
A orp.n	nanager 📮 LiveChat J Live Chat 🤹 Overview dashboard 🔗 Robin CRM - SAP CL 🤹 Home - SDX	(at_DC 👩 eCommerce@DC 🚺 backlog	a GAOLU	sa 🚬 usa prod 🚬 ca	Store
=	Rexroth A Bosch Company	Contact myPicarath	H Cart	Q Fraduct Search	UEA
The Postal	Rexroth Store With an account you can place orders, see shipping information, save wishlists, s inquiries and more. Please note that the Rexroth Store is for B2B customers only It all starts here: LOGIN REGISTER WITH BOSCH ID				
	Bosch ID is a secure and Bosch-wide uniform authentication service.				
3 DCNA/SLX 18/08/2 © Bosch Rexroft C	1022 orporation 2022. Al rights reserved, also regarding any disposal, exploitaton, reproduction, editing, ellati on, as well as in the even	tofapplications for industrial property rights .			rexroth A Bosch Company

Here you will be greeted by a prompt to log in. Click on this to continue.


To login or register, follow the instructions on these next pages.



Hit "Not registered yet" to create a new Rexroth Store account and login.

BOSCH Redin Ere Leter			
(H) =	OSCH		
	Login with your Bos	sch ID	
	Email address	I	
	Password	۵	
	Stay logged in	Forgot password >	
	Login	_	
	Not registered yet? >	To create a new account for eShop if you do not already have one.	
Constant Statements	and a standar	and and the second seco	

	Register your Bosch ID	Enter email to be used and choose a password/repeat password/ check of T&Cs box and hit REGISTER	
	Password	٢	
I	Repeat password	٢	
	I agree to the terms & conditions and acc	sept the privacy policy.	
	Register		
snea cay beaning started an outlook and cog in to bosch Refrom	Keycloak fotontoc 😝 tipsand tkicks-S 😸 ketcloa	K ADININA LO 👔 KeycloakPablicNotes 👔 Pick Load Piles Ale	a 🥱 Briaunch pau 😋 Portai 😗 Genesys Keporung
	озсн		
	Welcome to Bosch		
		in email to Your email with an ail, check your spam and promotions folders. n a mobile application, please activate the	



BOSCH Retriek for Laber	на н		
	Login with your Bosch ID	Enter the email used to register and the password chosen and hit LOGIN	
			ß
	Password Stay logged in	♥ Forgot password >	
	Login Not registered yet?		

Once you hit "Login" you will be taken to the registration information page where you will need to complete your information and "Submit" to activate your account.



Your registration for digital offers of Bosch Rexroth AG

Basic Profile

First Name

Last Name

CountryLanguage

German English

Proceed by filling out the form with the specified information.

Accept the T&Cs.

Terms and Conditions

Please accept the <u>Terms and Conditions for the Registration and Use</u> for digital offers of Bosch Rexroth AG. Please also note our Privacy Policy.



Once T&Cs are accepted, you will be brought into the Store and you will be logged in. To confirm, check to see if your name appears in the top left-hand corner of the screen. At this point you will have "guest permissions", that means you can easily request quotations from our Certified Excellence Partner network.

Login to the Rexroth Store Home Page

Hydraulies Geseboxes Automation Linear Motion Technology Assembly Technology	My White UH 302/3518 M6535 V Teen Tries UH 302/3518 M6535 V OVECTORES SPORS (HS7) EXCEPTION ENDERS	-	My Cart Construction Product Description (Intercaling of each of the construction (Intercaling of each of the construction) Fundamental of the construction of the con	
Tightnetog technology	Featured Produc	AUDITICANT	urdare	
				O

You will see a small red dot next to my Rexroth confirming that you are logged in and inside the Rexroth Store.

On the far left you will see our various product areas that you can click on. On the far right, you will see products in your shopping cart that you have not yet ordered. In the middle are your saved wish lists or shopping lists that you can open.

We start by looking at how to search for products.

Section 2: Search


	ne Category	Tree			
h		My Wishlies List 3 v STEL WHY DIS THIS CI H 1 RedS11320 Withined Here	Compact	My Cart Product America My Cart Product Carter Product Carter Tried OTY 1 (151(1)) Uncharts Uncharts	
6 DCNASLX118082022 e Bosch Rexroh Corporation 2	Valves Firectional valves Directional on/off valve Proportional directional valve Directional control valve 2022. Al rights reserved, also regarding any disposal	Featured Products		perly rights .	rexroth A Bosch Company

Browse the category tree to look for products in a category.

Search Produ View Product		е		
			8 8 17 Q	
	New 2 Meteory / Mereo	manufacture - Orecoscie induit veloc		
	My Sat	Directional on/off value Of or sensions, and Katolemen offer to logal action of the other of the sension of the other of the sension of the other of the sension of the other of the other of the other of the other ot	nas, right up to flow sorbier values and distributed	
	Bue Pastels	mosterse anticicate, seas, visit president mosterset mosterset mosterset transaction trans	· · · ·	
	Mai, pressue (bar)	Mexico and Analysis (14	2	
7 DCNASLX118/08/2022 © Bosch Rexroth Corporation 2022. All rights reser		itation, reproduction, editing, diat tion, as well as in the eve	entof applications for industrial property rights .	A Bosch Company

At the lowest node of a category, you will see a list of products. This list can be filtered using the filters on the left-hand side or sorted using the sorting options on the right.

Near the top of the page, there is a "breadcrumb" navigation menu that allows you to navigate "up" one or more levels in the menu structure.



Quite often you may know what you are looking for. In the case that you have an article number on the product you want to search for then you can then enter the article number in the search box and search.

Search Product List View			
My Cart Product Quantity PRESSURE TRAIN(D)/CER HM 2 Total OTY 1 (TEM(S) UPDATE VICW CART	SEARCH RESULTS FOR "0510225006" Cannot find the product you are looking for? Try Enterprise Search (1 results) 1.1 OF 1 RESULTS Status Status OS10225006 MDRDALIC GEAR PUMP AZPF-12-004RCB20KB Acm ³ /rev, Clockwise rotation, Conical 1:5, Rectangular flange Dia. 80 mm, Square flange to fitting ISO 8434-1 Standard lead time 10 days	SORT BY Lead time Y	
Filter Products	arding any disposal, exploitation, reproduction, editing, distion, as well as in the event of applications for industrial property rights.	1 R ADD TO CART	A Bosch Company

The selected product appears on the page. Here you can see an article number, name, a short description of the product, and the standard lead time for the product.

You can also choose to compare this product with others if you wish or add the product to a wish list.

You can also add the product to your shopping cart if you wish


The page also contains price information where your net price will be presented. In certain cases, information appears that you can get a price on request. In this case, you would put the item in the shopping cart and send a price request from there.

Search Product Narrow Selection wit	h Filter	
My Cart - Prodett Charity Prodett Charity 1	SEARCH RESULTS FOR "AZPF" Cannot find the product you are looking for? Try Enterprise Search (18945 results) Over	
Tetal GTY 3 (TELE)(C) GROATE VIEW GAMT	1-2 05 2 RESULTS SUBTORY Last first v CLEAR ALL Max. flow (Main: doine); 52.51 90.0 (R) Sile (generativ); displacement) (cm?/rec); 41:51 (R)	
riiter Produsta —	9515250004 HPDFAULIC GEAR FUK® AZEF 12 014/IER12008 14 cm ³ /me, Clodonias rotation, Spline shaft SAC UT44 164 (97 16/320P) - Scala 24 at 21 at 24 bit flange, Thread UH28; SAE O- ring	
Max. flow (l/min - delete) - 52, 8 - 50, 0 Size (geometric displacement) [gev/res] -	Standard lead sine 10 days	
7 DCNASLX11808/2022	9510290040 HYDRAULIC GEAR PUMP AZPF-12-03-8LFE12MB 34 cm ² /rev, Counter clockwise rotation: Splice shaft 5.65 J244 16-	rexroth
 Bosch Rexroth Corporation 2022. All rights reserved, also regarding any dispose 	al, exploitation, reproduction, editing, ditati on, as well as in the event of applications for industrial property rights .	A Bosch Company

You can get several variations of the article and there can be lots of options to look through. To reduce the number in the list, you can use the filters on the left. Go to the various filters and click in your restrictions on what you are looking for in order to get a reduced list.

Search Pro Search by				ла
				×
Mty Car Produ Theory	ect Guantity	SEARCH RESULTS FOR "42PF" Cannot find the product you are Try Enterprise Search (18945 nes 1 - 38 of 38 RESULTS 1 - 38 of 38 RESULTS 1 - 58 of 38 RESULTS 1 - 58 of 38 RESULTS	POPPET DIRECTIONAL VALVE M-3SEDECK1X/350CG96N9K4	
8 DCNA/SLX 18/08/2022 © Bosch Rexroth Corporation 2022. All	Irights reserved, also regarding a	ny disposal, exploitation, reproduction, editing, dis t	tion, as well as in the event of applications for industrial property rights.	A Bosch Company

You can also search by name. As you type, a customized list of suggestions will appear. You can click on any of the suggestions or continue typing, as well as choose when you want to start the search.



If you do not get a result on the article, it could be due to various reasons. There is a lot of material that we have in our systems that is not flagged for display in the Rexroth Store yet.

Try searching via "website search" which you will find at the top of the page. This search looks deeper into our systems.

Both separate search systems will be combined into one search system in 2023.

Search Product Enterprise Search		USA
A Bosch Company	Q azel	×
	DS10225011 HYDRAULIC GEAR PUMP AZPF-10-004RQR12MB-50270 ✓ Car be ordered online Bilipped in 10 business days from Fourtain ten, US, if ordering a maximum of 3 pc DS1022500E HYDRAULIC GEAR PUMP AZPF-11-005RCB20MB ✓ Car be ordered online Bilipped in 10 business days from Fourtain ten, US, if ordering a maximum of 3 pc DS102500E HYDRAULIC GEAR PUMP AZPF-11-005RCB20MB ✓ Car be ordered online Bilipped in 10 business days from Fourtain ten, US, if ordering a maximum of 3 pc ✓ Car be ordered online WORAULIC GEAR PUMP AZPF-11-005RCB12MB-50270 ✓ Car be ordered online Bilipped in 10 business days from Fourtain ten, US, if ordering a maximum of 3 pc	
13 DCHA/SIX 14/04/2022 D Basch Renroth Corporation 2022. All rights reserved, also regarding any disposal, exploitation	O510425009	rexroth A Bosch Company

If you get a result with the Enterprise search, you can add this to the shopping cart as with the other materials.

Search Product Compare Produc	CTS Compare Prov	ducts		
	b	X	X. RELEASEMENTS BOOK CARDON STELL KND OLS FILL CI 4 1. STATUS Marken char, fiel, its 15, itser CL, accuracy format, iso Thereing Itser that the L Loss	
	Size	18	10	
	Checkge type	FNS - Narge, mirrial, standard length.	1945 - Kange, Horved, standard height	
	Bell chein	Without tail chain	Without tuil chain	
	Material (profiled rell systems)	Centern steel	Carbon sheef	
	Preioad class	CL moderate preliad	C1 moderate preload	
	Accuracy class	11-Plighty accurate	N - Normal	
11 DCNA/SLX 18/08/2022 © Bosch Rexroth Corporation 2022. All rights reserved, also reg	arding any disposal, exploita	tion, reproduction, editing, diat tion, as well as in the event	of applications for industrial property rights .	A Bosch Company

If you choose to compare products, you can see and compare up to 4 products at the same time.

If there is a difference between the products, this will be shown with the deviating feature written in bold. In this specific example, the difference is not visible in the picture.

Click close when you want to return.

Section 3: Wishlist

Wishlist Add to Wishlist		
Tetal OTY 1 (TEM(E)	1-25 OF 117 RESULTS DON'T BY Lead time V	
	RL05111320 GALL RUNAER BLOCK CARBON STEEL KW0-015-FNS-C1- H-3 Bail Runner Block, FNS, Size 15, Steel CS, Accuracy High, Low Preload Standard lead time 1 days	
Filter Products	- COMMANS ADD TO WISHINST 😥	
500 500 500 500 500 500 500 500	R105111420 BALL RUNNER Storbate new Wishist FIS-C1- Rail Runner Bick To withinker mal, Low Stordard lead line CREATE WISHINGT To withinker • COMMARE Abit TO WISHINGT 3	
12 CHASEX 126082022 © Bosch Rearch Corporation 2022. At rights reserved, also regarding any disp	osal, exploitation, reproduction, editing, disti on, as well as in the event of applications for industrial property rights .	rexroth A Bosch Company

If you want to use a wish list, you start by clicking the arrow next to the "Add to shopping list" button. Give the list a name and then create the new list.

The shopping list is only available once you are logged in.

h		Contact myRex		
~ Hydraulics	My Wishlists	-	My Cart —	
∽ Gearboxes				
~ Automation	List 2		Product Quantity PRESSURE TRANSDUCER HM 2 1	
 Linear Motion Technology 	List 1 🖑 210	0	Total QTY	
 Assembly Technology 	New Wish List -2022-08-18 16:01:09 List 3		1 ITEM(S)	
 Tightening technology 	Additional into		UPDATE	
			VIEW CART	

You can find the created shopping lists on the start page of the Rexroth Store.

If you click on the arrow, you will get a drop-down list where you can select the wish list you want to see.

Wishlist Change quant	ity			
oth Company		Contact myRestot	h Cart	dh:
 Hydraulics Gearboxes Automation Linear Motion Technology Assembly Technology Tightening technology 	My Wishlists Liet 3 V BALL RUNNER BLOCK CARBON STEEL KWD 015-FRS-C1-H-1 R165111320 Additional Info		My Cart Product Quantity PPESSURE TRANSDUCER HM 2 1 Total OTY 1.ITEM(S) LUPDATE VIEW CART	
14 DCNASLX11808/2022 © Bosch Rexroh Corporation 2022. Alrights reserve	d, also regarding any disposal, explotation, reproduction, editing, dist ion, as well as in the ev	rentofapplications for industrial property rights.		rexroth A Bosch Company

Check that the quantities are correct. You can then add the items to the shopping cart by clicking "Add to cart".

Wishlist Find My Wisł	nlists				
rexroth A Bosch Company			Contáct myRexro	th Cart	Q Product Search
✓ Hydraulics	Jack Bauer				LOGOUT
Gearboxes	myRexroth Overview				
~ Automation	PARTNER PORTAL	REXROTH STORE	REXROTH	LOGIN	
Linear Motion Technology	myRexroth Search	Addresses	myProfile		
✓ Assembly Technology	Media Directory Search	My Wishlists		ur Password	
\checkmark Tightening technology	Collaboration Rooms				
Q DCNA/SLX [18/08/2022	Collaboration Rooms	, editing, dilation , as well as in the event of application	s for industrial property rights .		

You can also access your wish lists via myRexroth.

To do so, click on MyRexroth and then "My Wish List" to access your shopping lists.

anage Wishl								USA
A Bosch Company				S.	Remote	₽ Cart	Q Product branch	
My Wishlists				CREATE	WISHLIST	Ad	dresses	
Name	ها	st Update				My	Wishlists	
List 2	8/	18/2022, 3:08 PM	CLONE EDIT	00	LETE			
List I	8/	18/2022, 3:08 PM	CLOHE EDIT	DE	LETTE			
New Wish List -2022-08-1	8 15:01:09 8/	18/2022, 3:08 PM	CLONE		LETTE			
List 3 (default list)	8/	L8/2022, 3:08 PM	CLOWE EDIT					

Here you can create new shopping lists. It is feasible to give it a name and perhaps a description of what kind of list it is.

If you want this to be your default list, click in the

box and save it to create the list.

You can also clone an existing list with all the

articles being in the copy of the original list.


If you want to change the name or description on the shopping list, click on "edit" and a pop-up box will appear.

When you want to delete a wish list that you no longer use, click on the "Delete" button.

Section 4: Product Information

Product Information More Information		
Size -	Size 6, symbol C, solenoid-actuated, 24 V DC Standard lead time 10 days - COMPARE ADD TO WISHLIST V 1	17 ABD TO CANT
22 35 32 40 50 € 155 6 155	R900566289 POPPET DIRECTIONAL VALVE M- 3SEW6U3X/630MG24N9K4 Size 6, symbol U, solenoid-actuated, 24 V DC Standard lead time 10 days	1994 - A.Q. (1977 - 1996) - A.D.
Type of actuation – Hydraubcally actuated	+ COMPARE ADD TO WISHLIST V	ADD TO CART
Manually operated Mechanically actuated Presimatically actuated	R900570174 POPPET DIRECTIONAL VALVE M-	
15 DCNAGEX118082022 @ Bosch Rexroth Corporation 2022. All rights reserved, also regarding any disp	posal, exploitation, reproduction, ediling, disi tion, as well as in the event of applications for industrial property rights .	rexroth A Bosch Company


When you are on a list view, there is technical information hidden behind the product name. If you click on the name, you will then enter the product page.



On the product page, you can see the ESTIMATED standard lead time of a product.

Along with the lead time, you also get up to 5 tabs containing information.

The first contains a product description of the product.



The tab after has the various technical specifications for the product.

Product Informat Documents	ion		
	1	POPPET DIRECTIONAL VALVE M- SSEWEU3X/630MG24N9K4 NoreAl, sprohol U, wielend eschantel, 24 V DC Nr. Aleys to 4flor 10 er Yells 1 1 2 4mp 10 fall 1 2 4mp 10 fall 1 2 4mp 10 fall	
	PRODUCT DESCRIPTION TECHNICAL SPECS	DOCUMENTS CAD SPARE PARTS	
	Ortasterts	4	
		Accessories	
20 DCNASLX/1808/2022 © Bosch Rexroth Corporation 2022. All rights reserved, also rega	rding any disposal, exploitation, reproduction, editing, distit io	n, as well as in the event of applications for industrial property rights .	A Bosch Company


Under the 3rd tab, you will find documentation. It can be, for example, product catalogs and maintenance manuals, etc.

Product Information	on				
roth			- A 12	G everyone	
LOWARY	35 6 6 8 10 10 10 10	DEPET DIRECTIONAL VALVE N EWGU3X/630MG24N9K4 OSMI228 4, sprend V, selected extranel, 3V / D0 des 11 (Mol. 32	the second life		
		Accessories			
21 DCNASLX118082022 © Bosch Rexron Corporation 2022. All rights reserved, also regarding	any disposal, exploitation, reproduction, editing, diluti on, a	as well as in the eventof applications for indu	lustrial property rights .		A Bosch Company

CAD files can be found under the fourth tab. There are normally several different formats on the files that you can choose from.

Product Informat Spare Parts	ion		
	POPPET DIRECT SSEWGU3X/630 #0008828 Size 6, transfer 61, telesco ad Ext. 6 years (1, t	nursel, 24 v DC	
	PELEND men ng tit is source. PRODUCT DESCRIPTION TECHNICAL SPECS BOCUMENTS C Per this product we found matching spare pr R men cause	an PARE PARTS	
	Accessori	es	
22 DCNASLX118082022 © Bosch Rexroth Corporation 2022. All rights reserved, also regr	ding any disposal, exploitation, reproduction, editing, dist ition, as well as in the event	of applications for industrial property rights .	A Bosch Company

If a product has spare parts, or is a spare part to parent product, you can open the "Spare Parts Catalog" to see the matching parts information.



If a product has accessories assigned, they are shown in a carousel at the bottom of the product detail page. More accessories are being added over time.

Section 5: Configure Products

Accuracy class -		
H - Highly accurate (113)	R160530231	Price dependent o
N - Normal	BALL GUIDE RAIL CARBON STEEL KSA-035-SNS-P-MA-AK	configuratio
P - Precise	Ball guide rail, SNS, Size 35, Steel CS, Accuracy Precision	
SP - Super precise 76		
UP - Ultra precise	Standard lead time 8 days	
Guide rail mounting -	* COMPARE ADD TO WISHLIST V	
For mounting from 362		
For mounting from 119	R160530331	Price dependent o
below	BALL GUIDE RAIL CARBON STEEL KSA-035-SNS-H-MA-AK	configuratio
	Ball guide rail, SNS, Size 35, Steel CS, Accuracy High	
Guide rail cover -		~
	Standard lead time 8 days	
With cover strip and (80)		
protective end caps	+ COMPARE ADD TO WISHLIST	தி CONFIGURE

We offer several products that have different options or choices that must be specified for them to be possible to buy. When a material needs to be configured, a button appears that prompts you to configure the product. In this case, the length of the rail needs to be specified. Click the configure button.

A Bosch Company	Language Gright	- Canaat 🛛 🙀 Baser, Just
Ver an basis Home - Products - Product Scorp - Linear Motion Technology - Linear privas Guide rails with integrated measuring system Model code < IMS2-854-	Load configuration Save configuration	Consultation request
	K 3	8
	Mochanical system design MISE KEA - Hall prefix fail with integrated possiblen measuring system	v *
	Measuring principle	13
	A I Ansubility integrated position measuring system	

A Bosch Company		Sprik: • Kontakt 🗜 Login
back		
Ball guide rails	Load configuration	Save configuration Consultation request
Typkod C Kugelschiene CS KSA-025-SNS-N-I	As AK	
	< »	8
	Sections One piece (min)/max = 80(5816) mm	~
	Wunschlänge und T1	
	L 1000 mm (nin/max = 80/5816) *1.5 mm	

The configurator is a separate program; therefore, the layout looks a little different. Enter the length in the box and click continue. Depending on how many options need to be specified, new boxes will appear. Continue until you are through them all.

A Bosch Company	Savit	- Kontakt 🙀 Login
+ back		
Ball guide rails	Load configuration Saw configuration	Consultation request
Typkod Kugelschiene CS KSA-025-SNS-N-MA-AK		
	< »	8
	CS - Carbon street Mountine	
	MA - Botting from above Cover	
	AK - Plastic mounting hole plugs	<i>v</i>
	Accuracy class N - Normal	×
	Sections One-piece (min/max = 80/5816) mm	1
	Wanschlinge und T1 1000 mm - Tolerance s1.5 mm	~
	T1 20 mm - Tolerance siz 75 mm	~
	Additional machining (preselection - more detailed settings in the following masks)	~
	You finished your configuration successfully.	Documentation
		Add to basket

When you have gone through the choices, you will come to the last page where you can download a cad file of the product.

If you want to add the product to your shopping basket, click on "Add to basket". If there is already a product in the shopping cart with the same article number, you will get a pop-up box asking if you want to add this as a new article to the cart or if you want to update the one that is already there.

If you want to create more articles with the same article number but with a different length, click on the line in the configurator where you want to make the change. You then click through the remaining steps in the configurator until you reach the end again. Add this to the shopping cart and select that you want to add this as a new product.

Configure p Update or a	oroduct dd new		
	c >	÷	
	Mechanical system design KSA- Ball guide nail	~	
	Stee 025 - Stee 25	~	
	Design SNS - Similine, normal, standard	~	
	Material CS Carbon steel	~	
	Mounting MA - Botting from above	~	
	X	~	
	Update basket	~	
	Add liven to basket	Y	
	1001 mm - Tolerance x1.5 mm	~	
	T1 20.5 mm ⁻ Tolerator v0.75 mm	~	
	Additional machining (preselection - more detailed settings in the following masks)	<i>A</i>	
	You finished your configuration successfully.	Documentation	
		Add to basket	
	Product description Request CAD model To configure a matching numer block		
32 DCEN/SLF1-SE 04/12/2021 © Bosch Rexroth AB 2021. All rights reserved, a	also regarding any disposal, exploitation, reproduction, editing, distribution, as well as in the event of applications for industrial property rights.	rexrot A Bosch Comp	h any

Sometimes a pop-up box appears asking if you want to update the product in the shopping cart or if you want to add an additional product. This functionality can be useful if you must configure several products that are the same except for, in this case, the length.

Configure Products Materials are added to	o the Rexro	th Store			
Ball guide rails			Last configuration	Save configuration	Consultation request
Model code < RUGELSCHIENE CS KSA-025-SNS-N-MA-AK	2 product(s) in the cart	×			
Product recommendation with specified characteristics • Any recommended products are based on Rescott application know-hos • The product selection guide only serves for correctation and does not re Prevently, impurtant application details may not be taken into account. • If necessary, please contact Rearch application consultation industry	1 product(s) added to the cart	DK -	re detailed settings in the fo	Revelue marks)	= ~ ~ ~
		You finished your configuration successf		0.	cumentation
		Product description	Bequest CAD model	To configure a mo	
25 CNASLX118082022 © Bosch Rexroth Corporation 2022. All rights reserved, also regarding any disposal, exp	loitation, reproduction, editing, dist ion, as well as in	the event of applications for industrial property righ	ts.		A Bosch Compan

A pop-up will appear informing you that you have added products. Click "OK".

rexroth A Bosch Company		peix - Kostast 🕞 Logi
-box Ball guide rails	Load configuration See configuration	ion Consultation request
Typkod C Kugelschiene C5 K54-025-5N5-N-MA-AK		
	≪ ≫ Cis - Carbon steel	8
	Mounting MA - Botting from above	V
	Cover AK - Plastic mounting hote glugs	\checkmark
	Accuracy class N - Normal	~
	Sections One-piece (min/max - 80/5016) mm Wunschlinge und TI	~
	1000 mm - Tolerance x1.5 mm T1	×
	20 mm Tearrance +0.75 mm Additional machining (preselection - more detailed settings in the following masks)	~
	You finished your configuration successfully.	Documentation
		Add to basket
		AUG to basket

To return to the Rexroth Store, click on the small shopping cart icon in the top right corner.

Configure I Ability to ac	Products djust configuration	
	oth Second Secon	
	My shopping cat Image: Cat the C	
26 DCNA/SLX118/08/2022 © Bosch Rexroth Corporation 2022. All r	ing the reserved, also regarding any disposal, exploitation, reproduction, ediling, dilation , as well as in the event of applications for industrial property rights.	A Bosch Company

On the article, there is now a new button that you can use if you want to view or change the configuration of the product.

Section 6: Add to Cart to Quote

Add to Ca Request a	art to Quote a Quote		
	My shopping cart	🖶 Delete Cart	
	REQUESTED SHIPPING DATE		
	00/10/2022		
	Changes all items in the cart		
	R165111220 BALL RUNNER BLOCK CARBON STEEL KWD 015 FNS-C1+1-1 Ball Runner Block, FNS, Size 15, Synth CS, Accuracy High, Low Preload	1 4	
		🔁 Delata	
		SUBITOTS. \$162.61	
	Request For Quote		
34 DCNA/SLX118/08/2022 © Bosch Rexroth Corporation 20	222. All rights reserved, also regarding any disposal, exploitation, reproduction, editing, ditation, as well as in the event of applications for industrial property rights.		A Bosch Company


As a guest user you can only request a quote for the shopping cart.

Add to Cart to Quote Fill in phone number and description

	(3 wrows	5 acrect parameter	a consistent	
		Request for Quote - My data			
		HUT NAME*			
	0	saen Kist kunnet * .			
		Sector MAL ¹			
		etuläägkässärvavoth vausav			
		Natural Do and Age-defenan			
		88000			
	1	" Manualativey Solid	BACK TO CAST	CONTINUE	
35	DCNA(SLX 18/08/2022 © Bosch Rexroth Corporation 2022. All rights reserved, also	o regarding any disposal, exploitation, reproduction, editing, di	bation, as well as in the event of applications for industrial property rights .		A Bosch Company

Your phone number is a mandatory field that you must fill in to proceed.

If you want to provide additional information, please write this in the box for description. To get to the next step, click "Continue".



For each product area, you will receive a list of our Certified Distribution Partners who are specialists in the various areas. Select a Distribution Partner in each product area and then click on "Submit".

Ø		2	0	
Thank you for y	our Request!			
$\hat{\boldsymbol{\alpha}}$ survivolation has linear early to your error	 The certified Distributor you have selected 	will northert you an anno an ponaibhe.		
Linear Motion Technolo	ogy (1 products)			
Distributor Se	ibmission ID			
Remain Automation IIP RE12 Royal Street Kanasa Chp MiD Geode	0-082180			
Pitonsi +1 (818) 701-8313 mohenb@ittenh-sutomation.com				
	Anone STEEL FWG OCS PALICE H S 15, Reef CS, Annexy High Low Prelad	08/18/2013	Lowerter 1 Pia	
The standard standards	Rexroth products.		CONTINUE BAILOWING	

You will see on this page that your request has

gone through.

You will receive an email confirmation.

Your quote for the products will arrive via email soon.

Thank you for choosing Bosch Rexroth!

A Bosch Company

Contacts for the Rexroth Store:		
_		eshop@boschrexroth.de
Next.	C	+49 9352 184120
		eshop@boschrexroth.at
	S	+49 9352 184120
		eshop@boschrexroth.ch
	S C	+41 55 4646464

DCNA/SLX|18/08/2022